

AHI Supply, LP
PO Box 2789
Alvin, Texas 77512
Tel 281-331-0088 Fax 281-331-9813
www.ahi-supply.com



Spectrum Cement Division

To: _____ **Date:** _____
Attention: _____
From: _____
Subject: Submittal for approval
Project: _____

Spectrum Masonry Cement (Type S) * (C-270)

Product information:

These white and Colored Masonry Cements (Type S) are manufactured by our Spectrum Cement Division of Buda, Texas. This product is a Masonry Cement conforming to ASTM C-270. Each 70-pound bag of this cement is to be mixed with masonry sand meeting ASTM C144 at a ratio of no less than 2¼ cubic feet and no more than 3 cubic feet of damp, loose masonry sand.

AHI suggests that the project Engineer and/or Architect, masonry contractor and all other appropriate parties review this product & submittal and determine its acceptability prior to the initiation of the project. AHI asserts that the materials and blending of these Spectrum White and Colored Masonry Cements (Type S) are proper: that said please note that sand is added to our product by the masonry contractor on the job site.

Note that the **laboratory only test procedure ASTM C270** states in section 1.4 that "This standard is **not** a specification to determine strengths through field testing" and the **field-testing procedure ASTM C780** states in section 1.4 that "The test results obtained under this method are **not** required to meet the minimum compressive values in accordance with the property specifications in Specification C270".

Should you require information on the ASTM Specifications controlling our product, samples of our product, Material Safety Data Sheets, references or if we may be of service to you in any way, please contact us.

****Includes: Camel, Cream, Ivory & White***

**Thank you for the opportunity of furnishing this
quality product on your important project!**